



## HYDRAULIC CUTTING AND MIXING ATTACHMENTS

MODEL:		TC-A	TC-B	TC-B2	TC-C	TC-D	TC-E	TC-E2
<b>Hydr. Input Power</b>	hp (kW)	24-30* (18-22)	40 (30)	60 (45)	80 (60)	121 (90)	161 (120)	190 (140)
<b>Peak Power</b>	hp (kW)	29-36 (22-27)	50 (40)	75 (55)	95 (70)	145 (110)	175 (130)	200 (150)
<b>Hydr. Flow Required</b>	GPM (l/min)	11 – 17 (40 – 65)	16 - 32 (60 – 120)	32 – 50 (120 – 190)	37-56 (140 – 210)	63 – 90 (240 – 340)	87 – 132 (330 – 500)	95 – 158 (360 – 600)
<b>Max. Operating Pressure</b>	psi (bar)	5439 (375)	5439 (375)	5075 (350)	5075 (350)	5075 (350)	5075 (350)	5075 (350)
<b>Cutting Head Diameter</b>	in (mm)	12.7 (322)	15.3 (388)	21.17 (550)	24.2 (615)	24.2 (615)	29.6 (760)	29.6 (760)
<b>Cutting Head Width</b>	in (mm)	22 (557)	26.7 (678)	29.5 (750)	35.4 (900)	35.4 (900)	47.2 (1200)	55.1 (1400)
<b>Output Shaft Torque</b> At 5075 psi (350 bar)	ft lb (Nm)	3271 (4400)	4050 (5500)	7364 (10000)	10065 (13600)	18000 (24100)	26710 (36200)	32111 (43500)
<b>Cutting Force</b> At 5075 psi (350 bar)	lb (kN)	6193* (27.5)	6363 (28.3)	8162 (36.3)	9976 (44.4)	17548 (78.5)	21424 (95.3)	25757 (114.6)
<b>Pick Speed</b>	ft/s (m/s)	4 – 9 (1.1 - 2.3)	6 – 9 (1.8 - 2.8)	6 – 11 (1.9 - 3.2)	6 – 10 (1.8 - 3.0)	6 – 8 (1.8 - 2.5)	6 – 10 (1.8 - 3.0)	6 – 10 (1.8 - 3.0)
<b>Weight</b>	lbs (kg)	441 (200)	827 (375)	1797 (815)	2975 (1350)	3196 (1450)	5280 (2400)	5700 (2600)
<b>Excavator Weight</b>	ton (met. ton)	2 – 9 (2 – 8)	5 – 22 (8 – 15)	13 – 22 (12 – 20)	30 – 33 (18 – 30)	28 – 39 (25 – 35)	33 – 55 + (30 – 45 +)	44 + (40 +)

\* Available with optional XHD power boost motor

- ✓ Each model available with various motor displacements to match carrier's hydraulic capacity
- ✓ Variable cutting head speed (RPM) for maximum production in any material
- ✓ **Greater cutting forces than any other hydraulic cutter head on the market! Ask us for a comparison!**

# Got Rock?

**APPLICATIONS:** With cutting rates superior to hydraulic hammers in most applications, hydraulic cutter heads are a field-proven solution to a variety of jobs. We are always surprised with the new applications our customers find for these versatile cutters.

LOW VIBRATION ♦ LOW MAINTENANCE ♦ PRECISE CUTTING ♦ RE-USABLE CUTTINGS



TUNNELING



SOIL MIXING



UNDERWATER CUTTING



SHAFT CUTTING



ROADWORK



QUARRIES



CONCRETE GRINDING



TRENCHING



DEMOLITION

**ALPINE**

innovative cutting solutions  
[www.alpinecutters.com](http://www.alpinecutters.com)

PO Box 681, State College, PA 16804 USA  
Ph: 814.466.7134 Fax: 814.466.3193  
Email: [info@alpine-aec.com](mailto:info@alpine-aec.com)